

ISLAMIC RELIEF BANGLADESH

House # 10, Road # 10, Block # K, Baridhara, Dhaka-1212.



Tender Documents for supplying of 150 Set Submersible Pump Accessories at Nalitabari-Sherpur and Haluyaghat-Mymensingh

Tender No.	Tender # 13/2026
Package No.	Package # 01 (RFQ # 141/2026)
Issued On	01/07/2026
Last Date and Time for Submission of Tender	Tender will be received up to 11.50 AM on 14/07/2026
Date and Time for Opening of Tender	Tender will be opened on 14/07/2026 at 12.00 PM by the Tender Opening Committee (TOC) at the office of the undersigned with physical or virtual presence of the interested bidders by MS Teams .
MS Teams Meeting ID	373 912 932 579 051
Passcode	Do2yu3sA

Please fill the table mentioned below:

Name of Vendor/ Company	
i) Registered Business Address ii) Corporate Address (if different)	
Name of Proprietor/MD with Contact Number	
Name of Contact Person with Contact Number	
Email ID	
Total Bid Security Amount	
PO/DD/BG Number and Date	
Name of Bank	
Name of Branch	

At a glance of quoted offer

SL	Name of items	Specification	Unit	Qty	Unit Price	Total Price	Remarks
01	Accessories supply for Submersible Pump	As per attached BoQ-01	Set	150			Suppliers can apply BoQ wise or entire BoQs
02	Materials supply for Submersible Pump	As per attached BoQ-02	Set	150			
03	Name Plate supply for Submersible Pump	As per attached BoQ-03	Nos	150			
Grand Total =							
(Total Amount in words: BDT.							

For technical clarification, please contact **01777773883**

IR Bangladesh



Vendor's Signature & Seal

Page 1 of 4



Section: A, General Info/IRB Compliances

01	Programme	Humanitarian & Resilience Programme
02	Delivery Place	IRB Warehouse Level (1. Nalitabari Upazila under Sherpur District- 50 Sets and 2. Haluyaghat Upazila Under Mymensingh District- 100 Sets). IRB Representative / Receiver: Riajul Islam 01329673305 for Nalitabari and Abul Khair 01777761287 for Haluyaghat.
03	Procurement Method	Open Tender
04	Time for Completion of the Works	The job must be completed within 15-30 Days after issuing of Purchase Order.
05	Mode of Payment	Through A/C payee cheque or bank transfer.
06	AML & ATF Policy	IR will terminate this agreement without any notice if any supplier is found to be in violation of Anti Money Laundering & Anti-Terrorist Funding policy.
07	Child Protection Policy	IR reserves the right to terminate this agreement without any notice if any vendor is engaging child labours or supporting any forms of illegal practices.
08	Anti-Bribery Policy	IR follows ZERO-TOLERANCE policy for any form of bribery or corruption.
09	Modern Slavery Act:	The international Labour Standards as defined by the ILO (international Labour Organization). Below is a link to the section 26 of the Modern Slavery Act so please familiarise yourselves with this. http://www.legislation.gov.uk/ukpga/2015/30/section/26/enacted
10	Anti-social or Anti-state activity	The Service Provider and Receiver both the parties must respect and uphold the rules and laws of the country, and by no means undermine it whatsoever.
11	Eligibility of the Contractors/Firms to compete in the Tender	This invitation for tenders is open to all eligible tenderers who have: i) Relevant work experience with INGO ii) Up-to-date Business Documents iii) Financial and Organizational capabilities iv) Bank Statements for the last 06 (Six) months
12	Price of Tender Document	Nil
13	Amount of Tender Security	2.5% of total quoted amount
14	Tender documents are available	http://islamicrelief.org.bd/tender
15	Name and Address of the Office for Issuing, Opening & Receiving Tenders	IR Bangladesh Country Office, House # 10, Road # 10, Block-K, Baridhara Diplomatic Zone, Dhaka-1212
16	Tender Validity	Tender shall be valid for a period of 45 days after tender opening.
17	Change of Schedule Date & Time	If it is not possible to receive/open the tender on the schedule date for any unavoidable circumstances, the same will be received / opened on the next working date at the same circumstances.
18	Filling in the Tender Documents	Clear with Indelible ink, duly signed and stamped
19	Distribution of Works	IRB has the authority to divide the works among the qualified vendors for risk minimization, healthy competition and faster completion of the works
20	Authority of Rejection	The IR Bangladesh authority reserves the right to accept or reject any or all tenders without assigning any reason whatsoever.



Section: B, Tender Data Sheet



01. GENERAL	
Employer	Islamic Relief Bangladesh
02. TENDER DOCUMENT	
For the clarification of Tender only টেন্ডার সংক্রান্ত তথ্যের জন্য	For clarification of tender's purposes only, the Employer's address is: Attention: Procurement Coordinator Address: IR Bangladesh Country Office, House # 10, Road # 10, Block-K, Baridhara, Dhaka1212, Tel: 02-222299128, 02-222299130, Cell: 01325083748 (Sunday-Thursday, at 09 AM to 05 PM) Email Address: procurement@islamicrelief-bd.org
03. PREPARATION OF TENDERS	
Tender Documents	Documents must be submitted by Tenderers are: a. Up to date copy of Trade License attested by the proprietor/head of organization b. Copy of up-to-date VAT Registration Certificate attested by the proprietor/head of organization c. Up to date copy of TIN/ TIN Certificate attested by the proprietor/head of organization d. Experience Certificate/WO copy with contact info for reference check attested by the proprietor/head of organization e. Clients List attested by the proprietor/head of organization f. Tender Security: PO or BD or BG from any Schedule Bank g. You are requested to provide a forwarding letter on your organization's letterhead pad with seal and signature from the authority with this offer along with duly filled in Summary of Tender Submission as per attached format.
Tender Security	A Tender Security 2.5% of total quoted amount will be required in the form of a Pay Order or Bank Draft or BG in favour of the "ISLAMIC RELIEF" accompanied with each tender
04. SUBMISSION OF TENDERS	
Filling Envelop	The inner and outer envelope shall bear the following additional identification marks: a) The Name of the Tender: c) Tender No: d) RFQ # e) Contractor's/Tenderer's Address: f) Additional documents should not be more than 10 pages excluding our requested documents.
05. AWARD OF CONTRACT	
5.1	The Tender will be Non-Responsive and Rejected if the Quoted Amount of the Tender is found not in accordance with the quality and specifications set out for this tender.
5.2	If mistake is found in the line items or total amount, the IR Bangladesh authority can reject or accept at its own discretion whichever IR Bangladesh deems advantageous or justifiable.
5.3	The amount of performance guaranty (PG) shall be 2.5% of the contract price and the bid bond will be kept as PG of winning bidder(s).
5.4	A. 2% of work order amount will be deducted from your total bill amount for each and every belated day or as per IRB management decision. B. 5% of work order amount will be deducted for any deviation with the given specification in your quotation if supply does not rectify immediately or as per IRB management decision.
06. COMPLAINTS OR SUGGESTIONS	
Complaints or Suggestions অভিযোগ বা পরামর্শ	For any complaints or suggestions: Email: feedback@islamicrelief-bd.org Cell: 017-7777-3701



Section: C, SPECIAL TERMS AND CONDITIONS



01. The rate quoted by the Suppliers should include the cost of all materials and all operational costs connected with the packages and supply, cost of organizational arrangements, capital, background works, planning, logistics arrangements and cost of all local and other VAT & Taxes, Tolls and Incidental Charges will be treated as having been included in the tender bid.
02. All relevant documents supplied duly signed by the tenderer in every page and be binding upon the tenderer
03. Before submitting the tender, the tenderer should study/inquire the entire supply & work thoroughly in consultation with the relevant stakeholders, and no extra claim will be entertained for under any circumstances.
04. The supplied items must be of good quality and as per the samples approved by the IRB Management before delivery.
05. The quantities of the work may vary at the time of execution of work/supply and some items may be increased or decreased or even excluded, and for such cases no additional claims will be entertained.
06. Delivery Time must be maintained as per the schedule strictly. No extension of time will be allowed.
07. The work may be done round the clock which under any circumstances no extra claim will be entertained.
08. No claim from the contractor shall be entertained if the work is not executed for any reason.
09. Claim for advance payment shall not be entertained.
10. The contractor shall have to arrange and bear the expenses of all kinds of tools and plants which may be necessary for this work.
11. No claim for enhancement of rate of any item of the schedule will be entertained due to fluctuation of market rate for labours and materials along with the period of execution of the works.
12. Verbal instructions whatsoever and from whomsoever will have no binding. All such instruction must be in writing from competent authority.
13. The Suppliers/Contractors or his/their representative will have to be available at the site/delivery points to receive instruction from the IRB's designated staffs in connection with the supply/work.
14. Completion of Works shall be as per the Contract Agreement.
15. The Contractor shall submit the first Plan & Schedule of Works by 2 (two) days after signing the Contract, and shall update the progress regular basis during the period of the Contract.
16. In case of fund constrain/inadequate fund/non-availability of fund the payment to be made to the Contractor for completed work in the working financial year may be delayed for which no claim of the contractor shall be accepted. It is therefore assume that the contractor/Agency has agreed to execute this work under this precondition.
17. VAT and other taxes at the rates fixed by the Govt. will be deducted from the bills of the contractor
18. Challan and relevant documents must be submitted along with final bill.
19. Govt. MUSHAK 6.3 must be submitted with the bill.
20. All quotation should be intact at the time of submission.
21. The authority of Islamic Relief reserves the right to accept or reject any or all of the quotations and right to stop supply at any stage of delivery without assigning any reason whatsoever

Tenderer's Signature, Date & Seal	
I/We hereby declare that the information and documents provided along with the bid submission are true and authentic.	
Signature	
Designation	
Date	





Scope of Work: Supply of Submersible pump Materials of SUPEO Project(Nalitabari,Haluaghat).The rate will be include VAT & TAX, Loading & Unloading, with Transportation cost. Any type of accommodation, Water bill, Food bill, and Electric bill will not be provided to the Vendor from IRB & RHs. Have To submit 1 Sample of required materials before work order.

Bill of Quantities (BoQ) Submersible Pump Accessories

SL	Item Descriptions	Unit	QTY	Unit Rate	#TW	Total Amount
		(A)	(B)	(C)	(D)	E=AxBxCXD
Part A. Well Accessories						
1	uPVC Blind Pipe (Rising pipe/ Sand Trap Pipe)	RFT	130		1.00	
	Supplying of uPVC blind pipe Brand (National Polymer (NPoly), RFL, Akij,) of 1.5" diameter, D Grade (Water Class), having adequate physical, chemical, thermal and fire resistivity properties, manufactured by BSTI approved manufacturers such as RFL, National Polymer, Bengal Plastic or any other Engineer-approved equivalent brand. The work shall include supply of male and female plain socket joints, solvent cement (adhesive glue), coarse sand, and all necessary fittings and fixings, complete in all respects. The wall thickness of the pipe shall be within the range of 2.50 – 3.00 mm, as per Bangladesh standard for 1.5" uPVC D-grade pipes. The surface of the pipe shall be smooth, uniform, and free from cracks, blisters, air bubbles, or any manufacturing defects. The length of the pipe may vary depending on the underground aquifer condition and site situation, and shall be as per the instruction of the Engineer-in-Charge.					
2	PVC Strainer	RFT	20		1.00	
	Supplying uPVC filter (strainer) of 1.5" diameter, Class-D (Water Grade), of approved brands such as National Polymer (NPoly), RFL, or Akij, having uniform wall thickness within the range of 3.10 mm to 3.70 mm, provided with 8–10 filter slots, and free from cracks, warping, air bubbles, or any manufacturing defects. The pipe shall be grey in colour and manufactured in accordance with approved standards, including all necessary fittings and fixings, complete in all respects. The standard length of the filter shall be 3.0 m; however, the length and quantity may vary depending on underground aquifer conditions and site requirements, and shall be as per the instructions of the Engineer-in-Charge.					
3	uPVC Blind Pipe (3" dia) Casing pipe	RFT	150		1.00	
	Supply of uPVC blind (casing) pipe of 3" diameter (Ø75 mm), Class-C, Water Class, manufactured as per BS-3505 standard, having standard length of 6.0 ± 0.05 m and uniform wall thickness within the range of 4.50 mm to 5.20 mm. The pipe shall be provided with both-end male and female plain socket joints, complete with solvent cement, and shall be manufactured by BSTI approved manufacturers such as National Polymer (NPoly), RFL, Akij, or any other approved equivalent brand, subject to approval of Islamic Relief Bangladesh. The work includes supplying, lowering, fitting and fixing of the casing pipe as per approved design and the instruction of the Engineer-in-Charge, complete in all respects.					
4	uPVC Reducer (1.5"x3")	nos	1		1.00	
	Supplying of uPVC pipe reducer of 1.5" × 3" diameter, D Grade – Water Class, manufactured by BSTI approved brands such as NPoly, Bengal, RFL, Aziz, or any other Islamic Relief approved equivalent brand. The work includes supply and application of required solvent cement (adhesive glue), along with all necessary fittings and fixings, complete in all respects, and as per the instruction of the Engineer-in-Charge.					
5	uPVC pipe end Cap 1.5" dia	nos	1		1.00	

SL	Item Descriptions	Unit	QTY	Unit Rate	#TW	Total Amount
		(A)	(B)	(C)	(D)	E=AxBxCXD
	Supplying uPVC Cap (Blind) 1.5" dia, Class D, Water Grade, conforming to BS-3505, complete as per approved design and direction of Engineer-in-Charge (BSTI approved manufacturer: RFL / Bashundhara / National Polymer / Madina/ Akij or any other equivalent brand approved by Islamic Relief Bangladesh).					
6	uPVC 1" Thread pipe	rft	180		1.00	
	Supplying 1" diameter, 10 ft long uPVC threaded pipe of Class-D (Water Grade), conforming to BS 3505 or equivalent approved standard, having a standard wall thickness (approximately 2.7 mm to 3.2 mm), suitable for household, industrial, and office waterlines. The pipe shall be manufactured from virgin raw materials, ensuring durability, rigidity, and corrosion resistance. It shall feature precision auto thread cutting, be UV ray protected, and be compatible with both threaded uPVC and GI fittings. The pipe shall be green in colour, uniform in quality, and free from cracks, blisters, warping, or any manufacturing defects. Installation shall be carried out as per design, manufacturer's recommendations, and the instructions of the Engineer-in-Charge.					
7	uPVC 1" Thread Socket	Pcs	16		1.00	
	Supplying of 1" diameter uPVC thread socket, D Grade – Water Class, manufactured by BSTI approved brands such as NPoly, Bengal, RFL, Akij, or any other Islamic Relief approved equivalent brand. The socket shall be made of virgin uPVC material, ensuring durability, corrosion resistance, and smooth internal surface, free from cracks, blisters, warping, or any manufacturing defects.					
8	uPVC 1" Thread Elbow	Pcs	10		1.00	
	Supplying of 1" diameter uPVC thread elbow, D Grade – Water Class, manufactured by BSTI approved brands such as NPoly, Bengal, RFL, Akij, or any other Islamic Relief approved equivalent brand. The elbow shall be made of virgin uPVC material, ensuring durability, corrosion resistance, and smooth internal surface, free from cracks, blisters, warping, or any manufacturing defects. The elbow is designed to connect 1" uPVC pipes at standard angles (90° or 45°) and shall be joined using solvent cement (adhesive glue) for a leak-proof connection. Installation shall be carried out as per manufacturer's guidelines and the instruction of the Engineer-in-Charge					
9	Solvent Cement	nos	1		1.00	
	Solvent Cement 250 ml high-strength adhesive specifically designed for joining and bonding PVC pipes and fittings. It is commonly used in plumbing, irrigation, drainage, and industrial piping systems. This fast-drying, waterproof cement creates a strong, leak-proof bond by chemically softening the PVC surfaces and fusing them together.					
10	1 HP Submersible Pump	nos	1		1.00	
	Supply 3" submersible pump with 1 HP capacity including necessary fittings as like Switch, Cable, Were, suitable for domestic, industrial, or community water supply. Manufactured by BSTI/ISO approved brands such as Marquis, RFL, or Gazi, the pump shall be made of corrosion-resistant materials with stainless steel shaft, impeller, and pump housing. It shall operate on 220–240V, 50Hz AC and deliver the designed flow rate and head as per project requirements. Individual warranty cards must be submitted. Installation and commissioning shall follow manufacturer guidelines and the instruction of the Engineer-in-Charge					



SL	Item Descriptions	Unit	QTY	Unit Rate	#TW	Total Amount
		(A)	(B)	(C)	(D)	E=AxBxCXD
11	1000 Lts.Water Tank-IRB Branded blue Clour	nos	1		1.00	
	Supply of 1000 liters capacity water storage tank made of high-quality, UV-stabilized (food-grade plastic), suitable for potable water storage. The tank shall be of triple-layer construction to ensure improved thermal insulation and reduced water heating under sunlight. The tank shall be durable, leak-proof, corrosion-resistant, and suitable for outdoor installation. It shall be provided with a tight-fitting lid/cover to ensure hygienic storage and prevent contamination. The tank shall include all necessary 1" diameter tank fittings. The tank shall have the Islamic Relief logo clearly printed and marked "Not for Sale" in a permanent and visible manner with blue clour outer surface. The product shall be of approved quality and brand (RFL/GAZI) subject to approval by the Engineer-in-Charge, and installation shall be carried out as per manufacturer's instructions and site requirements.					
12	1" Union	nos	2		1.00	
	Supply, 1 inch (25 mm) union made of high-quality PVC for water supply pipeline, including all necessary accessories, jointing (RFL/GAZI/Akij) materials. All complete As per Engineer-in-charge.					
13	1" Gate Bulb	nos	2		1.00	
	Supply of 1 inch (25 mm) gate valve (bulb type) , (RFL/GAZI/Akij) made of high-quality pvc suitable for water supply line, All complete As per Engineer-in-charge.					
14	1" Tee	nos	3		1.00	
	Supply of 1 inch (25 mm) tee made of high-quality PVC for water supply pipeline. (RFL/GAZI/Akij) made of high-quality pvc suitable for water supply line, All complete As per Engineer-in-charge.					
15	3/4"-1/2" elbow	nos	2		1.00	
	Supply of 3/4 inch × 1/2 inch (20 mm × 15 mm) reducer elbow made of high-quality PVC for water supply pipeline (RFL/GAZI/Akij) made of high-quality pvc suitable for water supply line, All complete As per Engineer-in-charge.					
16	1" Tank Nipple/ Tank Adaptor	nos	3		1.00	
	Supplying of 1 inch diameter Tank Nipple made of high-quality PVC to connect the water tank outlet/inlet with the pipeline. (RFL/GAZI/Akij) made of high-quality pvc suitable for water supply line, All complete As per Engineer-in-charge.					



SL	Item Descriptions	Unit	QTY	Unit Rate	#TW	Total Amount
		(A)	(B)	(C)	(D)	E=AxBxCXD
17	1" Bulkhead	nos	1		1.00	
	Supply of 1-inch Bulkhead Fitting for water tank connections. The fitting shall be made with rubber gasket for water-tight sealing . (RFL/GAZI/Akij) made of high-quality pvc suitable for water supply line, All complete As per Engineer-in-charge					
						
18	3/4" Thread Pipe	nos	5		1.00	
	Supply and installation of 3/4 inch diameter threaded pipe PVC , (RFL/GAZI/Akij) made of high-quality pvc suitable for water supply line, All complete As per Engineer-in-charge.					
19	3/4" Tee	nos	1		1.00	
	Supply of 3/4 inch diameter Tee fitting pipeline connection. (RFL/GAZI/Akij) made of high-quality pvc suitable for water supply line, All complete As per Engineer-in-charge.					
20	3" uPVC Drainage Pipe	rft	5		1.00	
	Supplying of Drainage pipe- SWR Grade (3 inch in dia, uPVC Pipe, minimum thickness 3- 3.30 mm, Brand: RFL/Bashundhara/National Polymer/Akij or any approved brand by IR)					
21	uPVC 3" Elbow	Pcs	1		1.00	
	Supplying of 3" diameter uPVC elbow, SWR , manufactured by BSTI approved brands such as NPoly, Bengal, RFL, Aziz, or any other Islamic Relief approved equivalent brand. The elbow shall be made of virgin uPVC material, ensuring durability, corrosion resistance, and smooth internal surface, free from cracks, blisters, warping, or any manufacturing defects.					
Total Amount (BDT) for 1 Unit=						
Grand Total Amount (BDT) for 150 Units=						
Inword:						




Supplier signature with seal


ISLAMIC RELIEF BANGLADESH
Humanitarian and Resilience Programme
H#10, R#10, Block-K, Baridhara, Dhaka-1212



Scope of Work: Supply of Submersible pump Materials of SUPEO Project(Nalitabari,Haluaghat).The rate will be include VAT & TAX, Loading & Unloading, with Transportation cost. Any type of accommodation, Water bill, Food bill, and Electric bill will not be provided to the Vendor from IRB & RHs. Have To submit 1 Sample of required materials before work order.

Bill of Quantities (BoQ) Submersible Pump Materials

SL	Item Descriptions	Unit	QTY	Unit Rate	#TW	Total Amount
		(A)	(B)	(C)	(D)	E=AxBxCXD
Part B. Pump Materials						
1	4 mm Stainless Steel (SS) wire for Submersible pump hanging.	rft	170		1.00	
	Supplying and providing 4 mm Stainless Steel (SS) wire for lowering submersible motor in borehole,SS 304 / SS 316, 7×19 strands, flexible, corrosion-resistant, breaking load 1,600 kgf, SWL ~320 kg (FOS 5:1), minimum bend radius 6×dia including all labour, tools, transportation, PVC coating on SS wire rope for additional protectionwastage and incidental charges. complete as per approved design and direction of Engineer-in-Charge					
2	Top Flange Assembly -3" dia	Set	1		1.00	
	Supply of Top flange assembly for submersible pump installation, comprising MS pipe of 89 mm (3" NB) diameter, 3'-0" long and minimum 4 mm wall thickness, welded with a 150 mm diameter MS flange of 10–12 mm thickness of the top of pipe. On the flange a 150 mm dia round plate will be set. The assembly shall include 4 (four) nos. 12 mm diameter MS tie rods bottom of the pipe for concrete jointing, each 200 ± 5 mm long, firmly and symmetrically welded to ensure proper alignment and stability of the pump assembly. All MS components shall be hot-dip galvanized (minimum 80 micron coating) as per approved standards to ensure corrosion resistance in underground and submerged conditions. complete with top suitable gasket, of approved brands such as MAWTS, Kazi, RFL Falcon, Hatim, KRP, or any other equivalent brand approved by Islamic Relief Bangladesh. The top flange assembly shall be securely connected to the pump top plate using 4 (four) nos. 12 mm diameter stainless steel nut, bolt, and washer sets. All works shall be completed in all respects, ensuring proper vertical hole alignment of the top plate pump hanging wear hole 0.5" dia and 1" dia column pipe. as per approved design, manufacturer's recommendations, and the instructions of the Engineer-in-Charge. 					



SL	Item Descriptions	Unit	QTY	Unit Rate	#TW	Total Amount
		(A)	(B)	(C)	(D)	E=AxBxCXD
3	Submersible pump electric cable	Rft	120		1.00	
	Supplying of flat submersible electric cable (110/76), 3-core copper conductor, PVC insulated and PVC sheathed, conductor size minimum 3 Core × 1.5 sq.mm, suitable for 1 HP submersible pump operation, voltage rating 250/440 V, including cable lugs, jointing and termination materials, skilled and unskilled labour, tools and tackles, transportation, handling, wastage, testing and all incidental charges, complete in all respects, as per approved design, specification and direction of the Engineer-in-Charge. Cable shall be from BSTI-approved manufacturer such as BRB / BBS or any other equivalent brand approved by Islamic Relief Bangladesh.					
4	1/2" Bib cock-BMAG	nos	2		1.00	
	Supply of 1/2 inch (15 mm) bib cock made of high-quality brass suitable for water supply line, (RFL/GAZI/Akij or Eqa) made of high-quality pvc suitable for water supply line, All complete As per Engineer-in-charge. 					
5	3" SS floor Net	Nos	1		1.00	
	Supply of 3-inch Stainless Steel (SS) Floor Net from (RFL/GAZI/Akij) made of high-quality pvc suitable for water supply line, All complete As per Engineer-in-charge. 					
Total Amount (BDT) for 1 Unit=						
Grand Total Amount (BDT) for 150 Units=						
Inword:						



Supplier signature with seal

ISLAMIC RELIEF BANGLADESH
Humanitarian and Resilience Programme
H#10, R#10, Block-K, Baridhara, Dhaha-1212



Scope of Work: Supply of Submersible pump Materials of SUPEO Project(Nalitabari,Haluaghat).The rate will be include VAT & TAX, Loading & Unloading, with Transportation cost. Any type of accommodation, Water bill, Food bill, and Electric bill will not be provided to the Vendor from IRB & RHs. Have To submit 1 Sample of required materials before work order.

Bill of Quantities (BoQ) NAME PLATE

SL	Item Descriptions	Unit	QTY	Unit Rate	#TW	Total Amount
		(A)	(B)	(C)	(D)	E=AxBxCXD
Part C. Nameplate						
1	Tube-wells Name Plate Supply	nos	1		1.00	
	Supply of white marble stone nameplate measuring 1'-6" × 1'-0" with 17 ± 1 mm thickness, including laser-cut engraving/printing. The nameplate shall display Islamic Relief logos and text in Bangla, English, and Arabic in four-colour design as per approved sample. Engraving shall be done by laser cutting ensuring precise, sharp, and durable finish. The colouring shall be weatherproof, UV-resistant, and water-resistant for long-term outdoor durability. The marble surface shall be smooth, polished, and free from defects.Work shall be executed strictly as per approved sample and instructions of the Engineer-in-Charge. Any deviation in wording, spelling, colour, font, size, alignment, or design shall be corrected or replaced by the contractor at his own cost without any claim complete as per the given sample and the instructions of the Engineer-in-Charge.					
Total Amount (BDT) for 1 Unit=						
Grand Total Amount (BDT) for 150 Units=						
Inword:						



Supplier signature with seal